Catalog # CDE-H5223



### Synonym

FLJ18683,T3E,TCRE,CD3E,CD3-epsilon

### Source

Human CD3 epsilon, His Tag(CDE-H5223) is expressed from human 293 cells (HEK293). It contains AA Asp 23 - Asp 126 (Accession # <u>P07766-1</u>). Predicted N-terminus: Asp 23

# **Molecular Characterization**

This protein carries a polyhistidine tag at the C-terminus. The protein has a calculated MW of 16.9 kDa. Maybe caused by unknown PTMs, the protein migrates as 20-21 kDa under reducing (R) condition, and 35-45 kDa under non-reducing (NR) condition (SDS-PAGE).

### Endotoxin

Less than 1.0 EU per  $\mu g$  by the LAL method.

## Purity

>90% as determined by SDS-PAGE.

>90% as determined by SEC-MALS.

### Formulation

Lyophilized from 0.22  $\mu$ m filtered solution in PBS, pH7.4 with trehalose as protectant.

Contact us for customized product form or formulation.

### Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.

### Storage


For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please avoid repeated freeze-thaw cycles.

This product is stable after storage at:


- -20°C to -70°C for 24 months in lyophilized state;
- -70°C for 12 months under sterile conditions after reconstitution.

## **SDS-PAGE**



Human CD3 epsilon, His Tag on SDS-PAGE under reducing (R) and nonreducing (NR) conditions. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%.

# SEC-MALS



The purity of Human CD3 epsilon, His Tag (Cat. No. CDE-H5223) is more than 90% and the molecular weight of this protein is around 36-46 kDa verified by SEC-MALS.




**Bioactivity-ELISA** 




### Human CD3 epsilon Protein, His Tag (MALS verified)



Catalog # CDE-H5223






Immobilized Human CD3 epsilon, His Tag (Cat. No. CDE-H5223) at 1  $\mu$ g/mL (100  $\mu$ L/well) can bind Mouse Anti-Human CD3 (SP34-2) with a linear range of 0.2-3 ng/mL (QC tested).


Immobilized Mouse Anti Human CD3(SP-34) at 2  $\mu$ g/mL (100  $\mu$ L/well) can bind Human CD3 epsilon, His Tag (Cat. No. CDE-H5223) with a linear range of 0.2-2 ng/mL (Routinely tested).


### **Bioactivity-SPR**



Monoclonal Anti-Human CD3 Antibody, Mouse IgG1 (SP34-2) (Cat. No. CDE-M531) captured on CM5 chip via anti-mouse antibodies surface can bind Human CD3 epsilon, His Tag (Cat. No. CDE-H5223) with an affinity constant of 0.394 nM as determined in a SPR assay (Biacore 8K) (Routinely tested).

#### **Bioactivity-BLI**





## 0 50 100 150 Time (sec)

Loaded Anti-Human CD3 mAb, mouse IgG1 (Clone # SP34-2) on AMC Biosensor, can bind Human CD3 epsilon, His Tag (Cat. No. CDE-H5223) with an affinity constant of 0.341 nM as determined in BLI assay (ForteBio Octet Red96e) (Routinely tested). Loaded Bispecific T-cell Engager (CD3 X BCMA) on AHC Biosensor via DMF Filed Human BCMA, Fc Tag (Cat. No. BC7-H5254), can bind Human CD3 epsilon, His Tag (Cat. No. CDE-H5223) with an affinity constant of 0.147 nM as determined in BLI assay (ForteBio Octet Red96e) (Routinely tested).





Catalog # CDE-H5223



### Background

CD3e molecule, epsilon is also known as CD3E, is a T-cell surface single-pass type I membrane glycoprotein. CD3E contains 1 Ig-like (immunoglobulin-like) domain and 1 ITAM domain. CD3E, together with CD3-gamma, CD3-delta and CD3-zeta, and the T-cell receptor alpha/beta and gamma/delta heterodimers, forms the T cell receptor-CD3 complex. This complex plays an important role in coupling antigen recognition to several intracellular signal-transduction pathways. The genes encoding the epsilon, gamma and delta polypeptides are located in the same cluster on chromosome 11. The epsilon polypeptide plays an essential role in T-cell development, and defects in CD3E gene cause severe immunodeficiency. CD3E gene has also been linked to a susceptibility to type I diabetes in women. CD3E has been shown to interact with TOP2B, CD3EAP and NCK2.

### **Clinical and Translational Updates**



>>> www.acrobiosystems.com

2/19/2024